



State of Utah

GARY R. HERBERT
Governor

GREG BELL
Lieutenant Governor

Department of
Environmental Quality

Amanda Smith
Executive Director

DIVISION OF AIR QUALITY
Cheryl Heying
Director

DAQE-IN0132830004-09

October 29, 2009

Wayne Bulkley
Rocky Mountain Aggregate, LLC
20025 N 5200 W
Plymouth, UT 84330

Dear Mr. Bulkley:

Re: Intent to Approve: Ownership Change and Modification of Approval Order DAQE-AN0132830003-07 to Change Equipment; Box Elder County; CDS B; Attainment Area, NSPS (Part 60)
Project Number: N013283-0004

The attached document is the Intent to Approve for the above-referenced project. The Intent to Approve is subject to public review. Any comments received shall be considered before an Approval Order is issued. The Division of Air Quality is authorized to charge a fee for reimbursement of the actual costs incurred in the issuance of an Approval Order. An invoice will follow upon issuance of the final Approval Order.

Future correspondence on this Intent to Approve should include the engineer's name as well as the DAQE number as shown on the upper right-hand corner of this letter. The project engineer for this action is Mr. Alan Humpherys, who may be reached at (801) 536-4142.

Sincerely,

Timothy R. Andrus, Manager
Minor New Source Review Section

TRA:AH:sa

cc: Bear River Health Department

STATE OF UTAH

Department of Environmental Quality

Division of Air Quality

**INTENT TO APPROVE: Ownership Change and Modification
of Approval Order DAQE-AN0132830003-07
to Change Equipment**

**Prepared By: Mr. Alan Humpherys, Engineer
Phone: (801) 536-4142
Email: ahumpherys@utah.gov**

INTENT TO APPROVE NUMBER

DAQE-IN0132830004-09

Date: October 29, 2009

**Rocky Mountain Aggregate, LLC
Plymouth Aggregate Plant**

**Source Contact:
Mr. Wayne Bulkley, Controller
Phone: (435) 230-1114**

**Timothy R. Andrus, Manager
Minor New Source Review Section
Utah Division of Air Quality**

ABSTRACT

Rocky Mountain Aggregate, LLC has requested a name and ownership change for AO DAQE-AN0132830003-07 dated June 15, 2007. DAQ has changed the holder and party responsible for complying with the terms and conditions contained in this AO to "Rocky Mountain Aggregate, LLC" from "Nish Rock Products, LLC." At this same time Rocky Mountain Aggregate, LLC has also requested a modification to their AO to replace the existing crusher and screen with a crusher/screen plant, and to add a topsoil screen. A generator was used to supply power to the facility. Utility power has since been installed and the generator and resulting conditions will be removed from this AO. There are no changes to production; however, emissions were estimated with updated emission factors, and the haul road length and controls were updated.

Box Elder County is an attainment area of the NAAQS for all pollutants. NSPS Subpart A, 40 CFR 60.1 to 60.18 (General Provisions) and Subpart OOO, 40 CFR 60.670 to 60.676 (Standards of Performance for Nonmetallic Mineral Processing Plants) apply to this source. NESHAP and MACT regulations do not apply to this source. Title V of the 1990 Clean Air Act applies to this source, and this source is considered a Title V Area Source.

Due to the removal of the generator, updated emission factors, and updated haul road information, the emissions, in tons per year, will change as follows: PM₁₀ + 1.96, NO_x - 20.28, SO₂ - 1.33, CO - 4.37, VOC - 1.61, HAPs - 0.02

The changes in emissions will result in the following, in tons per year, potential to emit totals: PM₁₀ = 6.87.

The NOI for the above-referenced project has been evaluated and has been found to be consistent with the requirements of UAC R307. Air pollution producing sources and/or their air control facilities may not be constructed, installed, established, or modified prior to the issuance of an AO by the Executive Secretary of the Utah Air Quality Board.

A 30-day public comment period will be held in accordance with UAC R307-401-7. A notification of the intent to approve will be published in the Box Elder News & Journal on November 4, 2009. During the public comment period the proposal and the evaluation of its impact on air quality will be available for the public to review and provide comment. If anyone so requests a public hearing, it will be held in accordance with UAC R307-401-7. The hearing will be held as close as practicable to the location of the source. Any comments received during the public comment period and the hearing will be evaluated. The proposed conditions of the AO may be changed as a result of the comments received.

Name of Permittee:

Rocky Mountain Aggregate, LLC
20025 N 5200 W
Plymouth, UT 84330

Permitted Location:

Plymouth Aggregate Plant
21335 North Highway 191
Plymouth, UT 84430

UTM coordinates: 403,300 m Easting, 4,639,000 m Northing
SIC code: 1442 (Construction Sand & Gravel)

Section I: GENERAL PROVISIONS

- I.1 All definitions, terms, abbreviations, and references used in this AO conform to those used in the UAC R307 and 40 CFR. Unless noted otherwise, references cited in these AO conditions refer to those rules. [R307-101]
- I.2 The limits set forth in this AO shall not be exceeded without prior approval. [R307-401]
- I.3 Modifications to the equipment or processes approved by this AO that could affect the emissions covered by this AO must be reviewed and approved. [R307-401-1]
- I.4 All records referenced in this AO or in other applicable rules, which are required to be kept by the owner/operator, shall be made available to the Executive Secretary or Executive Secretary's representative upon request, and the records shall include the two-year period prior to the date of the request. Unless otherwise specified in this AO or in other applicable state and federal rules, records shall be kept for a minimum of two (2) years. [R307-401]
- I.5 At all times, including periods of startup, shutdown, and malfunction, owners and operators shall, to the extent practicable, maintain and operate any equipment approved under this AO, including associated air pollution control equipment, in a manner consistent with good air pollution control practice for minimizing emissions. Determination of whether acceptable operating and maintenance procedures are being used will be based on information available to the Executive Secretary which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source. All maintenance performed on equipment authorized by this AO shall be recorded. [R307-401-4]
- I.6 The owner/operator shall comply with R307-150 Series. Inventories, Testing and Monitoring. [R307-150]
- I.7 The owner/operator shall comply with UAC R307-107. General Requirements: Unavoidable Breakdowns. [R307-107]

Section II: SPECIAL PROVISIONS

II.A The approved installations shall consist of the following equipment:

- II.A.1 **Plymouth Pit**
- II.A.2 **One (1) Cone Crushing/Screening Plant**
Capacity: 250 tons/hour
Manufacture Date: 1998
- II.A.3 **One (1) Mark II Power Screen**
Used in screening topsoil.
- II.A.4 **Various Conveyors & Feeders**

- II.A.5 **Various Mobile Equipment**
Includes: Various Loaders, Haul Trucks, & Water Trucks

II.B Requirements and Limitations

II.B.1 **The Plymouth Aggregate Plant shall be subject to the following**

- II.B.1.a Rocky Mountain Aggregate, LLC shall notify the Executive Secretary in writing when the installation of the cone crushing screening plant and the topsoil power screen has been completed and is operational. To ensure proper credit when notifying the Executive Secretary, send your correspondence to the Executive Secretary, attn: Compliance Section.

If the owner/operator has not notified the Executive Secretary in writing within 18 months from the date of this AO on the status of the construction and/or installation, the Executive Secretary shall require documentation of the continuous construction and/or installation of the operation. If a continuous program of construction and/or installation is not proceeding, the Executive Secretary may revoke the AO. [R307-401-18]

- II.B.1.b The owner/operator shall not produce more than 400,000 tons of aggregate material per rolling 12-month period. [R307-401-8]

- II.B.1.b.1 To determine compliance with a rolling 12-month total the owner/operator shall calculate a new 12-month total by the twentieth day of each month using data from the previous 12 months. Records of production shall be kept for all periods when the plant is in operation. Production shall be determined by the owner/operator. The records of production shall be kept on a daily basis. [R307-401-8]

- II.B.1.c Unless otherwise specified in this AO, the owner/operator shall not allow visible emissions from any source on site to exceed 20 percent opacity. [R307-201-3]

- II.B.1.c.1 Unless otherwise specified in this AO, opacity observations of emissions from stationary sources shall be conducted according to 40 CFR 60, Appendix A, Method 9. [R307-201-3]

II.B.2 **All Crushers, Screens, and Conveyors on site shall be subject to the following**

- II.B.2.a The owner/operator shall not allow visible emissions from any crusher on site to exceed 15 percent opacity. [40 CFR 60 Subpart OOO]

- II.B.2.b The owner/operator shall not allow visible emissions from any screen on site to exceed 10 percent opacity. [40 CFR 60 Subpart OOO]

- II.B.2.c The owner/operator shall not allow visible emissions from any conveyor transfer point on site to exceed 10 percent opacity. [40 CFR 60 Subpart OOO]

- II.B.2.d The owner/operator shall not allow visible emissions from any conveyor drop point on site to exceed 20 percent opacity. [R307-205-4]

- II.B.2.e The owner/operator shall install water sprays on all crushers, all screens, and all conveyor transfer points on site to control fugitive emissions. Sprays shall operate as required to maintain the opacity limits listed in this AO when the temperature is above freezing. [R307-401-8]
- II.B.2.f The owner/operator shall conduct an initial performance test for all crushers, screens, and conveyor transfer points on site within 60 days after achieving the maximum production rate but not later than 180 days after initial startup. Performance tests shall meet the limitations specified in Table 3 to Subpart OOO. Records of initial performance tests shall be kept and maintained on site for the life of the equipment. [40 CFR 60 Subpart OOO]
- II.B.2.f.1 Initial performance tests for fugitive emissions limits shall be conducted according to 40 CFR 60.675(c). The owner or operator may use methods and procedures specified in 40 CFR 60.675(e) as alternatives to the reference methods and procedures specified in 40 CFR 60.675(c). [40 CFR 60 Subpart OOO]
- II.B.2.f.2 The owner/operator shall submit written reports to the Executive Secretary of the results of all performance tests conducted to demonstrate compliance with the standards set forth in 40 CFR 60.672. [40 CFR 60 Subpart OOO]
- II.B.3 **All Haul Roads and Fugitive Dust Sources shall be subject to the following**
- II.B.3.a The owner/operator shall not allow visible emissions from haul roads and fugitive dust sources on site to exceed 20 percent opacity. [R307-205-4]
- II.B.3.a.1 Visible emission determinations for fugitive dust emissions from haul-road traffic and mobile equipment in operational areas shall use procedures similar to Method 9. The normal requirement for observations to be made at 15-second intervals over a six-minute period, however, shall not apply. Visible emissions shall be measured at the densest point of the plume but at a point not less than 1/2 vehicle length behind the vehicle and not less than 1/2 the height of the vehicle. [R307-205-4]
- II.B.3.b The haul road shall not exceed 0.3 miles in length and the vehicle speed along the haul road shall not exceed 15 miles per hour. The vehicle speed on the haul road shall be posted, at a minimum, on site at the beginning of the haul road so that it is clearly visible from the haul road. [R307-401-8]
- II.B.3.c The owner/operator shall cover all unpaved haul roads and wheeled-vehicle operational areas with road base material. The owner/operator shall use water application to maintain opacity limits listed in this AO when the temperature is above freezing. [R307-401-8]
- II.B.3.c.1 Records of water application shall be kept for all periods when the plant is in operation. The records shall include the following items:
 - A. Date and time treatments were made
 - B. Number of treatments made and quantity of water applied

- C. Rainfall amount received, if any
- D. Records of temperature, if the temperature is below freezing. [R307-401-8]
- II.B.3.d The total area of storage piles on site shall not exceed 1.0 acres without prior approval from the Executive Secretary. [R307-401-8]
- II.B.3.e The owner/operator shall apply water to all storage piles on site to control fugitive emissions. Sprays shall operate as required to maintain the opacity limits listed in this AO when the temperature is above freezing. Records of water treatment shall be kept for all periods when the plant is in operation. [R307-401-8]
- II.B.3.f The open or disturbed area shall not exceed 10 acres without prior approval from the Executive Secretary. [R307-401-8]
- II.B.3.g The owner/operator shall comply with all applicable requirements of R307-205 for Fugitive Emission and Fugitive Dust sources on site. [R307-205]

Section III: APPLICABLE FEDERAL REQUIREMENTS

In addition to the requirements of this AO, all applicable provisions of the following federal programs have been found to apply to this installation. This AO in no way releases the owner or operator from any liability for compliance with all other applicable federal, state, and local regulations including UAC R307.

NSPS (Part 60), A: General Provisions
NSPS (Part 60), OOO: Nonmetallic Mineral Processing Plants

PERMIT HISTORY

The final AO will be based on the following documents:

Is Derived From	Additional Information dated October 1, 2009
Is Derived From	Additional Information dated August 6, 2009
Is Derived From	NOI dated July 23, 2009
Supersedes	DAQE-AN0132830003-07 dated June 15, 2007

ACRONYMS

The following lists commonly used acronyms and their associated translations as they apply to this document:

40 CFR	Title 40 of the Code of Federal Regulations
AO	Approval Order
BACT	Best Available Control Technology
CAA	Clean Air Act
CAAA	Clean Air Act Amendments
CDS	Classification Data System (used by EPA to classify sources by size/type)
CEM	Continuous emissions monitor
CEMS	Continuous emissions monitoring system
CFR	Code of Federal Regulations
CO	Carbon monoxide
COM	Continuous opacity monitor
DAQ	Division of Air Quality (typically interchangeable with UDAQ)
DAQE	This is a document tracking code for internal UDAQ use
EPA	Environmental Protection Agency
HAP or HAPs	Hazardous air pollutant(s)
ITA	Intent to Approve
MACT	Maximum Achievable Control Technology
MMBTU	Million British Thermal Units
NAA	Nonattainment Area
NAAQS	National Ambient Air Quality Standards
NESHAP	National Emission Standards for Hazardous Air Pollutants
NOI	Notice of Intent
NO _x	Oxides of nitrogen
NSPS	New Source Performance Standard
NSR	New Source Review
PM ₁₀	Particulate matter less than 10 microns in size
PM _{2.5}	Particulate matter less than 2.5 microns in size
PSD	Prevention of Significant Deterioration
R307	Rules Series 307
R307-401	Rules Series 307 - Section 401
SO ₂	Sulfur dioxide
Title IV	Title IV of the Clean Air Act
Title V	Title V of the Clean Air Act
UAC	Utah Administrative Code
UDAQ	Utah Division of Air Quality (typically interchangeable with DAQ)
VOC	Volatile organic compounds